

Innovating for a brighter world

  
**POLY CAB**  
*Connection Zindagi Ka*

Pricelist - Lighting & Luminaires w.e.f 15th Sep 17

[www.polycab.com](http://www.polycab.com)

The image features a night landscape with a lighthouse on a hill, a starry sky, and the word 'LUMINAIRE' in large, stylized letters. The lighthouse is illuminated, casting a warm glow. The sky is filled with stars and the Milky Way. The letters are stacked vertically and have a gradient from orange to white. The background is a dark, starry sky with the Milky Way visible. The foreground shows a dark, forested hillside with a lighthouse on top, illuminated from within, casting a warm glow. The lighthouse is a small, white building with a red roof and a lantern room. The sky is a deep blue-black, filled with numerous stars and the faint, glowing band of the Milky Way galaxy stretching across the upper half of the image. The overall mood is serene and inspiring, suggesting innovation and enlightenment.

# LUMINAIRE

Innovating for a brighter world

# INDEX

<b>MODERNIA</b>	1 - 4
<b>DOMESTICO</b>	5 - 10
<b>INDUSTRIA</b>	11 - 14
<b>ARENIA</b>	15 - 18
<b>URBANIA</b>	19 - 22
<b>GARDENIA</b>	23 - 26
<b>LAMPS</b>	27 - 28
<b>ACCESSORIES</b>	29 - 30



 **POLYCAB**  
*Connection Zindagi Ka*

# MODERNIA



## LED SLIM PANEL

Edgelit LED Slim Panel having white powder coated extruded Aluminium body with high quality LGP and PMMA diffuser. Separate HPF driver. Suitable for Armstrong and Grid ceiling. Separate accessories available for surface mounting PCGLP 2x2. Available CCT 4000K & 6000K. Also available in 3000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0401002	PCGLP 2x2 40 60	40 W	6000 K	9405	4	6,995
PMD0401004	PCGLP 2x2 40 40	40 W	4000 K	9405	4	6,995



## LED BACK LIT PANEL

Backlit LED Panel having white Polycarbonate body & Aluminium plate heat sink, high quality PMMA diffuser and HPF driver. Suitable for Gypsum, POP, Armstrong and Grid ceiling. Available CCT 5700K. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0404008	PCGLBLP 40 E 57	40 W	5700 K	9405	4 N	4,100
PMD0404009	PCGLBLP 01 40 E 57	40 W	5700 K	9405	4 N	3,900



## LED BACK LIT PANEL

Backlit LED Panel having white CRCA body, high quality PMMA diffuser. Separate HPF driver. Suitable for Armstrong and Grid ceiling. Available CCT 5700K. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0405005	PCGLLL 36 57	36 W	5700 K	9405	2	4,400
PMD0404006	PCGLBL 55 57	55 W	5700 K	9405	2	7,750



## LED DECORATIVE 1X4 SLIM PANEL

Edgelit LED Slim Panel having white powder coated extruded Aluminium body. High quality LGP & PMMA diffuser. Suitable for Armstrong and Grid ceiling. Available CCT 5700K. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0401017	PCGLP 1x4 40 57	40 W	5700 K	9405	4 N	5,630
PMD0401016	PCGLP 1x4 40 57 1	40 W	5700 K	9405	5 N	5,250



Note: LED CCT Tolerance as per ANSI Standards.

# MODERNIA



## LED COMMERCIAL LUMINAIRE

LED Commercial 2X2 having white powder coated CRCA body with opal PMMA wide diffuser at centre. Separate driver, Suitable for Armstrong and Grid ceiling, Available CCT 6500K.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0405003	PCGLMD 36	36 W	6500 K	9405	2	4,500



## LED COMMERCIAL LUMINAIRE

LED Commercial 2X2 having white powder coated CRCA body with soft opal PMMA diffuser at centre. Separate driver, Suitable for Armstrong and Grid ceiling, Available CCT 6500K.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0405004	PCGLMW 36	36 W	6500 K	9405	2	4,500



## LED SURFACE / SUSPENDED FIXTURE

Extruded Aluminium body LED Linear Surface / Suspended fixture with opal Polycarbonate diffuser. Separate dimmable driver, Suitable for commercial applications. Available CCT 6000K.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0403004	PCGLSE 38 60	38 W	6000 K	9405	6	9,375



## LED COMMERCIAL DOWN LIGHT - ROUND

Recess mounting Backlit LED Down light, Round PDC Aluminium body with outer frame, Separate driver, Available CCT 6000 K & 4000K, Also available in 3000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0402010	PCGLRD 01 15 60	15 W	6000 K	9405	12	1,600
PMD0402011	PCGLRD 01 15 40	15 W	4000 K	9405	12	1,600



Note: LED CCT Tolerance as per ANSI Standards.

## LED COMMERCIAL DOWN LIGHT - SQUARE

Recess mounting Backlit LED Down light, Square PDC Aluminium body with ABS outer frame. Separate driver. Available CCT 5700 K.



PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0402001	PCGLD 01 18 SQ 57	18 W	5700 K	9405	20	2,075
PMD0402002	PCGLD 01 24 SQ 57	24 W	5700 K	9405	20	2,425

**Note:** LED CCT Tolerance as per ANSI Standards.


DO  
ME  
STI  
CO



 **POLY**  
Connection Zindagi Ka



# DOMESTICO



## INTENSO LXS LED BATTEN - PVC PROFILE

Self ballasted LED Batten, Extruded Thermoplastic body with PC diffuser in unique square shape, >120° wide distribution, Available CCT 3000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LDD00103025	INTENSO LXS LED BATTEN 1 FEET 8 W	8 W	6500 K	9405	20	350
LDD00103028	INTENSO LXS LED BATTEN 2 FEET 12 W	12 W	6500 K	9405	20	500
LDD00103031	INTENSO LXS LED BATTEN 4 FEET 20 W	20 W	6500 K	9405	20	650



## INTENSO VX LED BATTEN - PVC PROFILE

Self ballasted LED Batten, Extruded Thermoplastic body with PC diffuser, >120° wide Distribution, Available CCT 6500K/3000 K

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LDD00103017	INTENSO VX LED BATTEN 4 FEET 20 W	20 W	6500 K	9405	20	650



## INTENSO GX LED BATTEN - PVC PROFILE

Self ballasted LED Batten, Extruded Thermoplastic body with PC diffuser, >120° wide distribution, Available CCT 3000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LDD00103040	INTENSO GX LED BATTEN 1 FEET 8 W	8 W	6500 K	9405	20	350
LDD00103042	INTENSO GX LED BATTEN 2 FEET 12 W	12 W	6500 K	9405	20	500
LDD00103044	INTENSO GX LED BATTEN 4 FEET 20 W	20 W	6500 K	9405	20	650



## INTENSO DLX LED BATTEN - ALUMINIUM PROFILE

Self ballasted LED Batten, Extruded Aluminium body with PC diffuser, Integral isolated driver, >120° wide light distribution, Available CCT 3000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LDD00103040	INTENSO DLX LED BATTEN 1 FEET 8 W	8 W	6500 K	9405	20	495
LDD00103042	INTENSO DLX LED BATTEN 2 FEET 12 W	12 W	6500 K	9405	20	695
LDD00103044	INTENSO DLX LED BATTEN 4 FEET 20 W	20 W	6500 K	9405	20	895



# DOMESTICO



## SCINTILLATE LED ROUND SLIM PANEL

Recess mounting EdgeIt Slim LED Panel Round powder coated PDC Aluminium body and high quality LGP & PMMA diffuser. Separate driver. Available CCT 3000K, 4000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LDD0116001	SCINTILLATE LED PANEL SLIM ROUND 3 W	3 W	6500 K	9405	10	450
LDD0116002	SCINTILLATE LED PANEL SLIM ROUND 6 W	6 W	6500 K	9405	10	650
LDD0116004	SCINTILLATE LED PANEL SLIM ROUND 12 W	12 W	6500 K	9405	10	950
LDD0116005	SCINTILLATE LED PANEL SLIM ROUND 15 W	15 W	6500 K	9405	10	1,150
LDD0116006	SCINTILLATE LED PANEL SLIM ROUND 18 W	18 W	6500 K	9405	10	1,450
LDD0116007	SCINTILLATE LED PANEL SLIM ROUND 22 W	22 W	6500 K	9405	10	1,750



## SCINTILLATE LED SQUARE SLIM PANEL

Recess mounting EdgeIt Slim Panel, Square powder coated PDC Aluminium body and high quality LGP & PMMA diffuser. Separate driver. Available CCT 3000K, 4000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LDD0117001	SCINTILLATE LED PANEL SLIM SQUARE 3 W	3 W	6500 K	9405	10	450
LDD0117002	SCINTILLATE LED PANEL SLIM SQUARE 6 W	6 W	6500 K	9405	10	650
LDD0117004	SCINTILLATE LED PANEL SLIM SQUARE 12 W	12 W	6500 K	9405	10	950
LDD0117005	SCINTILLATE LED PANEL SLIM SQUARE 15 W	15 W	6500 K	9405	10	1,150
LDD0117006	SCINTILLATE LED PANEL SLIM SQUARE 18 W	18 W	6500 K	9405	10	1,450
LDD0117007	SCINTILLATE LED PANEL SLIM SQUARE 22 W	22 W	6500 K	9405	10	1,750



## SCINTILLATE EDGE LED DOWN LIGHT SLIM ROUND

Recess mounting EdgeIt Slim and LED Down Light, Round powder coated PDC Aluminium body with decorative glass plate. Separate driver. Available CCT 6000K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LDD0108001	SCINTILLATE EDGE LED DOWN LIGHT SLIM ROUND 12 W	12 W	6000 K	9405	10	1,595



## SCINTILLATE EDGE LED DOWN LIGHT SLIM SQUARE

Recess mounting EdgeIt Slim and LED Down Light, Square powder coated PDC Aluminium body with decorative glass plate. Separate driver. Available CCT 6000K.


PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LDD0109001	SCINTILLATE EDGE LED DOWN LIGHT SLIM SQUARE 12 W	12 W	6000 K	9405	10	1,595



## SCINTILLATE DLX SLIM LED DOWN LIGHT - ROUND

Recess mounting Backlit Slim LED Down Light with Round Aluminium alloy body and Polycarbonate outer rim. Separate driver. Available CCT 6500K, 4000K, & 3000K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LD00102001	SCINTILLATE DLX LED DOWN LIGHT SLIM ROUND 14 W	14 W	6500 K	9405	10	1,595
LD00102002	SCINTILLATE DLX LED DOWN LIGHT SLIM ROUND 21 W	21 W	6500 K	9405	10	2,195



## SCINTILLATE INTEGRAL - DOWN LIGHT

Recess mounting LED Down Light, Plastic body with integral driver. Available CCT 3000 K, 4000K, 6500 K & Blue

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LD00115001	SCINTILLATE INTEGRAL LED DOWN LIGHT 3 W	3 W	6500 K	9405	20	345
LD00115002	SCINTILLATE INTEGRAL LED DOWN LIGHT 5 W	5 W	6500 K	9405	20	395
LD00115005	SCINTILLATE INTEGRAL LED DOWN LIGHT BLUE 5 W	5 W	BLUE	9405	20	395
LD00115008	SCINTILLATE INTEGRAL LED DOWN LIGHT 7 W	7 W	6500 K	9405	20	455



## PEARL LED SPOT LIGHT - ROUND

Recess mounting LED spot light in plain aluminium in housing and Round Polycarbonate outer rim.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LD00114001	PEARL LED SPOT 2 W 3000 K RD	2 W	3000 K	9405	50	225
LD00114002	PEARL LED SPOT 2 W 6500 K RD	2 W	6500 K	9405	50	225
LD00114003	PEARL LED SPOT 2 W BLUE RD	2 W	BLUE	9405	50	225
LD00114004	PEARL LED SPOT 2 W RED RD	2 W	RED	9405	50	225
LD00114005	PEARL LED SPOT 2 W GREEN RD	2 W	GREEN	9405	50	225



## PEARL LED SPOT LIGHT - SQUARE

Recess mounting LED spot light in plain Aluminium in housing and square polycarbonate outer rim

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LD00114006	PEARL LED SPOT 2 W 3000 K SQ	2 W	3000 K	9405	50	250
LD00114007	PEARL LED SPOT 2 W 6500 K SQ	2 W	6500 K	9405	50	250
LD00114008	PEARL LED SPOT 2 W BLUE SQ	2 W	BLUE	9405	50	250
LD00114009	PEARL LED SPOT 2 W RED SQ	2 W	RED	9405	50	250
LD00114010	PEARL LED SPOT 2 W GREEN SQ	2 W	GREEN	9405	50	250



# DOMESTICO



## PEARL LED SPOT LIGHT - 3W - ROUND

Recess mounting LED spot light in plain aluminium in plain housing and Round aluminium outer rim.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LD00115001	PEARL LED SPOT 3 W 3000 K RD	3 W	3000 K	9405	50	350
LD00115002	PEARL LED SPOT 3 W 6500 K RD	3 W	6500 K	9405	50	350
LD00115003	PEARL LED SPOT 3 W BLUE RD	3 W	BLUE	9405	50	350
LD00115004	PEARL LED SPOT 3 W RED RD	3 W	RED	9405	50	350
LD00115005	PEARL LED SPOT 3 W GREEN RD	3 W	GREEN	9405	50	350



## PEARL COB LED DOWN LIGHT - ROUND

Recess mounting COB LED adjustable Down Light with Round PDC aluminium body and 24° Glass Lens. Separate driver. Available CCT 3000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LD00104001	PEARL COB LED DOWN LIGHT 4 W	4 W	6500 K	9405	10	845
LD00104002	PEARL COB LED DOWN LIGHT 4 W	4 W	3000 K	9405	10	845
LD00104003	PEARL COB LED DOWN LIGHT 6 W	6 W	6500 K	9405	10	995
LD00104004	PEARL COB LED DOWN LIGHT 6 W	6 W	3000 K	9405	10	995
LD00104005	PEARL COB LED DOWN LIGHT 9 W	9 W	6500 K	9405	10	1,345
LD00104006	PEARL COB LED DOWN LIGHT 9 W	9 W	3000 K	9405	10	1,345
LD00104007	PEARL COB LED DOWN LIGHT 11 W	11 W	6500 K	9405	10	1,645
LD00104008	PEARL COB LED DOWN LIGHT 11 W	11 W	3000 K	9405	10	1,645



## PEARL GRID COB LED DOWN LIGHT - SQUARE

Recess mounting COB LED adjustable Down Light with Square PDC aluminium body and 24° Glass Lens. Separate driver. Available CCT 3000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LD00105001	PEARL GRID COB LED DOWN LIGHT 4 W	4 W	6500 K	9405	10	1,495
LD00105002	PEARL GRID COB LED DOWN LIGHT 4 W	4 W	3000 K	9405	10	1,495
LD00105003	PEARL GRID COB LED DOWN LIGHT 6 W	6 W	6500 K	9405	10	1,645
LD00105004	PEARL GRID COB LED DOWN LIGHT 6 W	6 W	3000 K	9405	10	1,645



## CELENE LED SURFACE LIGHTING

Aesthetically designed energy saving LED Wall Light, White powder coated CRCA housing and PS diffuser.

Available CCT 3000K / 6500 K

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LD00112013	CELENE LED SURFACE FITTING ROUND 10 W	10 W	6500 K	9405	10	1,650
LD00112016	CELENE LED SURFACE FITTING ROUND 14 W	14 W	6500 K	9405	10	2,250
LD00112019	CELENE LED SURFACE FITTING ROUND 18 W	18 W	6500 K	9405	10	2,850
LD00112022	CELENE LED SURFACE FITTING ROUND 22 W	22 W	6500 K	9405	10	3,350



## LED STRIP LIGHT - ORIANA

Flexible LED Strip, 4.8 W & 14.4 W / meter, suitable for Cove lighting and indirect lighting. Available in 3000 K & 6000 K. Driver available separately.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LD00113101	ORIANA 3528 LED STRIP 24 W	24 W	3000 K	9405	40	1,050
LD00113102	ORIANA 3528 LED STRIP 24 W	24 W	6000 K	9405	40	1,050
LD00113103	ORIANA 5050 LED STRIP 72 W	72 W	3000 K	9405	40	2,250
LD00113104	ORIANA 5050 LED STRIP 72 W	72 W	6000 K	9405	40	2,250



## ONELLA T5 LUMINAIRE

Decorative domestic batten pre-wired with T5 Lamp & HF Electronic Ballast. Extruded PVC body with newly designed end caps. Available in PC Ribbed Diffuser and without diffuser.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LD00204003	ONELLA T5 LUMINAIRE 28 W (6500 K TUBE FREE)	28 W	LFL T5	9405	20	575
LD00204004	ONELLA T5 LUMINAIRE WITH DIFFUSER 28 W (6500 K TUBE FREE)	28 W	LFL T5	9405	20	675



## OTTIMO ELECTRONIC LFL BATTEN

Sleek domestic batten suitable for T8 Lamps. Pre-wired with HF Electronic Ballast. Sturdy Pre-coated CRCA fabricated body for long life.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
LD00201003	OTTIMO SLIM ELECTRONIC LFL BATTEN 36 W	36 W	LFL T8	9405	16	380





 **POLYCAB**  
*Connection Zindagi Ka*

# INDUSTRIA



## LED HIGH BAY

New generation Energy saving LED High Bay solution with copper heatsink, ABS body and Polycarbonate visor. Low weight for ease of installation. 90° wide Distribution. Mounting with hook.

Available CCT 5700K. Driver compartment IP66.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PID1001001	PCGLH 100	100 W	5700 K	9405	1	21,500
PID1001007	PCGLH 130	130 W	5700 K	9405	1	24,500



## LED HIGH BAY - ALUMINIUM

Industrial LED High Bay Luminaires with clear PC diffuser powder coated PDC Aluminium body. IP65.

Available CCT 5700 K. Mounting with eye bolt. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PID1001016	PCGLH T1 60	60 W	5700 K	9405	2	13,500
PID1001017	PCGLH T1 80	80 W	5700 K	9405	2	15,000
PID1001018	PCGLH T1 100	100 W	5700 K	9405	1	16,500
PID1001019	PCGLH T1 120	120 W	5700 K	9405	1	18,000
PID1001020	PCGLH T1 150	150 W	5700 K	9405	1	21,000
PID1001021	PCGLH T1 200	200 W	5700 K	9405	1	24,000



## LED WELL GLASS

Powder coated PDC Aluminium body with clear diffuser. Mounting with Eye bolt.

Available CCT 6000K and 3000K. IP65.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PID1003001	PCGLWG 35	35 W	6000 K	9405	4	6,725
PID1003002	PCGLWG 35 30	35 W	3000 K	9405	4	6,725



## LED WELL GLASS LX

Powder coated PDC Aluminium body with clear diffuser. Available CCT 5700K. IP65.


Mounting with Eye bolt. Available with opal diffuser. Also available in 3000K & 4000K on demand.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PID1003003	PCGLWG LX 40	40 W	5700 K	9405	4	4,375



Note: LED CCT Tolerance as per ANSI Standards.

# INDUSTRIA



## LED BULK HEAD

Surface Mounted LED Bulk Head Luminaire with ABS Body & Polycarbonate Diffuser.

Available in CCT 6000K, IP54. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PID0102001	PCGLBH DLX 10	10 W	6000 K	9405	8	2,250



## LED WEATHER PROOF LUMINAIRE

Surface mounting LED Luminaire with Corrosion Resistant Polycarbonate body and cover. Toggle less.

Efficacy 90Lm/W. Available in CCT 6500K, IP65. Also available in 3000K & 4000K on demand.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PID0802002	PCGLPC 01 18 65	18 W	6500 K	9405	12	3,175
PID0802003	PCGLPC 01 36 65	36 W	6500 K	9405	8	5,675



## INDUSTRIAL T8 / T12 BATTEN LUMINAIRE

Pre-Coated CRCA body, heavy duty industrial batten suitable for 4 feet T8/T12 Lamps.

Available in separate, Aluminium and Pre-Coated CRCA reflector.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PID0501001	PCIB 136/140 T HFC	1 X 36/40 W	LFL T8/T12	9405	10	675
PID0501003	PCIB 236/240 T HFC 2	2 X 36/40 W	LFL T8/T12	9405	10	925



## INDUSTRIAL T5 BATTEN LUMINAIRE

Pre-Coated CRCA body, heavy duty industrial batten suitable for 28W T5 Lamps.

Available in separate, Aluminium / Pre-Coated CRCA reflector.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PID0501008	PCIB 128 T HFC	1 X 28 W	LFL T5	9405	10	700
PID0501009	PCIB 228 T HFC	2 X 28 W	LFL T5	9405	10	925
PID0501010	PCIB 128 T HFC RoHS	1 X 28 W	LFL T5	9405	10	On Request
PID0501011	PCIB 228 T HFC 2 RoHS	2 X 28 W	LFL T5	9405	10	On Request




Note: LED CCT Tolerance as per ANSI Standards.




## INDUSTRIAL BATTEN LUMINAIRE FOR RETROFIT LED TUBE

Pre-Coated CRCA body, heavy duty industrial batten. Suitable for Retrofit LED Tube.  
Available in separate, Aluminium / Pre-Coated CRCA reflector.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN CODE	CASE LOT	MRP (₹)
PID0502001	PCIB 118 WOD	1 X 18 W	LED T8	9405	10	450
PID0502002	PCIB 218 WOD	2 X 18 W	LED T8	9405	10	475



**Note:** LED CCT Tolerance as per ANSI Standards.



# AR EN IA



 **POLYCAP**  
Connection Zindagi Ka

# ARENIA



## LED REGULAR FLOOD LIGHT

New Generation Energy Saving LED Flood Light, Powder coated PDC Aluminium body with toughened glass visor fitted in frame. Efficacy >100Lm/w. Available CCT 5700K, IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PAR0201029	PCGLF C1 02 30	30 W	5700 K	9405	6	6,000
PAR0201030	PCGLF C1 02 40	40 W	5700 K	9405	6	6,500
PAR0201018	PCGLF C1 02 60	60 W	5700 K	9405	4	9,800
PAR0201019	PCGLF C1 02 80	80 W	5700 K	9405	4	11,000
PAR0201020	PCGLF C1 01 80	80 W	5700 K	9405	4	12,000



## LED HEAVY DUTY FLOOD LIGHT

New Generation Energy Saving LED Flood Light, Powder coated PDC Aluminium Body with Toughened Glass visor fitted in frame. Equipped with Secondary optical lens for superior light distribution. Efficacy > 100 Lm/W. Available CCT 6000K, IP66.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PAR0201019	PCGLF C1 01 120	120 W	5700 K	9405	1	18,000
PAR0201022	PCGLF C1 01 160	160 W	5700 K	9405	1	24,000



## LED HEAVY DUTY FLOOD LIGHT

New Generation Energy Saving LED flood light. Single piece pressure die cast powder coated housing & lamp frame with Toughened glass cover, equipped with Secondary optical lens for superior light distribution. Efficacy > 100Lm/W. Available in CCT 5700K, IP66.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PAR0201023	PCGLF C2 01 180	180 W	5700 K	9405	1	21,000
PAR0201024	PCGLF C2 01 200	200 W	5700 K	9405	1	22,500
PAR0201025	PCGLF C2 01 250	250 W	5700 K	9405	1	29,000
PAR0201026	PCGLF C2 01 300	300 W	5700 K	9405	1	35,000
PAR0201027	PCGLF C2 01 350	350 W	5700 K	9405	1	45,000
PAR0201028	PCGLF C2 01 400	450 W	5700 K	9405	1	55,000



## COB FLOOD LIGHT

Slim and light weight Energy Saving LED Flood Light, single piece PDC Aluminium body with Glass Lens visor. COB LED technology. Available CCT 6000K, IP65.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PAR0202002	PCGLF 01 30 COB	30 W	6000 K	9405	5	5,075
PAR0202003	PCGLF 01 60 COB	60 W	6000 K	9405	5	9,225



**Note:** LED CCT Tolerance as per ANSI Standards.

# ARENIA



## LED FOCUS LIGHT

Innovative Narrow beam LED Focus / Flood Light, grey powder coated PDC Aluminium body with toughened glass visor. Secondary optical lens for superior light distribution. Available CCT 3000K, IP66.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PAR0203001	PCGLFS 18	18 W	3000 K	9405	2	10,750



## HALOGEN FLOOD LIGHT

Halogen Flood Light with powder coated PDC Aluminium body and toughened glass cover. IP54.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN CODE	CASE LOT	MRP (₹)
PAR0103001	PCNFH 500	500 W	Halogen	9405	12	600
PAR0103002	PCNFH 1000	1000 W	Halogen	9405	12	1,100



## LED NEW FLOOD LIGHT

New Generation Energy Saving LED Flood light, Powder coated PDC Aluminium body with toughened glass visor. Efficacy > 100Lm/w. Available 5700 K, IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PAR0206001	PCGLF T1 02 10 57	10 W	5700 K	9405	8	On Request
PAR0206002	PCGLF T1 02 20 57	20 W	5700 K	9405	8	On Request
PAR0206003	PCGLF T1 02 30 57	30 W	5700 K	9405	8	5,000
PAR0206004	PCGLF T1 02 40 57	40 W	5700 K	9405	8	5,500
PAR0206005	PCGLF T1 02 50 57	50 W	5700 K	9405	8	On Request
PAR0206006	PCGLF T1 02 60 57	60 W	5700 K	9405	8	8,400
PAR0206008	PCGLF T1 02 80 57	80 W	5700 K	9405	1	8,000
PAR0206010	PCGLF T1 02 100 57	100 W	5700 K	9405	1	On Request
PAR0206012	PCGLF T1 01 120 57	120 W	5700 K	9405	1	14,900
PAR0206015	PCGLF T1 01 150 57	150 W	5700 K	9405	1	20,200
PAR0206016	PCGLF T1 01 180 57	180 W	5700 K	9405	1	On Request
PAR0206017	PCGLF T1 01 200 57	200 W	5700 K	9405	1	24,600
PAR0206018	PCGLF T1 01 250 57	250 W	5700 K	9405	1	On Request



## LED BORDER FLOOD LIGHT

New Generation Energy Saving LED Flood Light, Powder coated PDC Aluminium Body with Toughened Glass visor fitted in frame. Equipped with Secondary optical lens for superior light distribution. Efficacy > 100 Lm/W. Available CCT 4000K / 3000K, IP66. Also available in 6000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PAR0201031	PCGLF 160 40 BFLZ	160 W	4000 K	9405	1	On Request
PAR0201032	PCGLF 160 30 BFLZ	160 W	3000 K	9405	1	On Request



Note: LED CCT Tolerance as per ANSI Standards.



# ARENIA



 **POLYCAB**  
Connection Zindagi Ka

# URBANIA



## LED DECORATIVE STREET LIGHT

Decorative Energy Saving LED Street Light with PDC Aluminium Body and Clear Polycarbonate cover. Wide beam distribution. Available CCT 5700K. IP66. Efficacy >95Lm/w

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PUB0502001	PCGLS 01 15	15 W	5700 K	9405	8	2,400
PUB0502002	PCGLS 01 20	20 W	5700 K	9405	8	2,600
PUB0502003	PCGLS 01 25	25 W	5700 K	9405	8	2,800
PUB0502004	PCGLS 01 30	30 W	5700 K	9405	8	3,000



## LED STREET LIGHT WITH LENS

Energy Saving LED Street Light with PDC Aluminium body and clear glass LED Lens for wide beam distribution. CCT 5700 K, IP66. Efficacy > 100 Lm/w

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PUB0501045	PCGLS 25 L	25 W	5700 K	9405	12	2,650
PUB0501040	PCGLS 30 L	30 W	5700 K	9405	12	2,850



## REGULAR LED STREET LIGHT

Energy Saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Separate driver compartment provided. Secondary optical lens for superior light distribution. Efficacy > 100 Lm/W. Available CCT 5700K, IP66.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PUB0504003	PCGLS TO 40	40 W	5700 K	9405	2	6,100
PUB0504004	PCGLS TO 45	45 W	5700 K	9405	2	6,400
PUB0504017	PCGLS TO 01 60	60 W	5700 K	9405	2	8,600



## REGULAR LED STREET LIGHT

Energy Saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Separate driver compartment provided. Secondary optical lens for superior light distribution. Efficacy > 100 Lm/W. Available CCT 5700K, IP66.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PUB0504006	PCGLS TO 70	70 W	5700 K	9405	1	9,300
PUB0504018	PCGLS TO 01 90	90 W	5700 K	9405	1	12,500



**Note:** LED CCT Tolerance as per ANSI Standards.

# URBANIA

## HEAVY DUTY LED STREET LIGHT

Energy Saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Separate driver compartment provided. Secondary optical lens for superior light distribution. Efficacy >100 Lm/w. Available CCT 5700K, IP66.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PUB0504001	PCGLS TO 90	90 W	5700 K	9405	1	15,500
PUB0504008	PCGLS TO 120	120 W	5700 K	9405	1	17,700
PUB0504016	PCGLS TO 150	150 W	5700 K	9405	1	19,500



## ECO LED STREET LIGHT

Energy saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy >100 Lm/w. Available CCT 5700 K, IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PUB0501125	PCGLS C2 35	35 W	5700 K	9405	6	4,000
PUB0501126	PCGLS C2 40	40 W	5700 K	9405	6	4,800
PUB0501127	PCGLS C2 45	45 W	5700 K	9405	6	5,500
PUB0501128	PCGLS C2 60	60 W	5700 K	9405	4	7,500
PUB0501129	PCGLS C2 72	72 W	5700 K	9405	4	8,200
PUB0501130	PCGLS C2 90	90 W	5700 K	9405	4	9,400
PUB0501131	PCGLS C2 120	120 W	5700 K	9405	1	14,800
PUB0501132	PCGLS C2 150	150 W	5700 K	9405	1	18,000
PUB0501036	PCGLS C2 180	180 W	5700 K	9405	1	21,500
PUB0501037	PCGLS C2 200	200 W	5700 K	9405	1	23,500



## ECO HEAVY DUTY LED STREET LIGHT

Energy saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy >100 Lm/w. Available CCT 5700 K, IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PUB0501038	PCGLS C2 220	220	5700 K	9405	1	On Request
PUB0501039	PCGLS C2 250	250	5700 K	9405	1	On Request



Note: LED CCT Tolerance as per ANSI Standards.



## REGULAR LED STREET LIGHT WITH LENS

Energy saving LED Street Light with PDC Aluminium body and clear glass. LED lens for wide beam distribution. Efficacy > 100 Lm/W. Available CCT 5700K, IP66. Also available in 3000K & 4000K on demand. Available without lens.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PUB0505005	PCGLS T1 15 L	15 W	5700 K	9405	12	2,250
PUB0505006	PCGLS T1 20 L	20 W	5700 K	9405	12	2,450
PUB0505007	PCGLS T1 25 L	25 W	5700 K	9405	12	2,650
PUB0505008	PCGLS T1 30 L	30 W	5700 K	9405	12	2,850



## REGULAR LED STREET LIGHT

Energy saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy > 100 Lm/w. Available CCT 5700 K, IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PUB0505009	PCGLS1 35	35 W	5700 K	9405	2	4,000
PUB0505010	PCGLS T1 40	40 W	5700 K	9405	2	4,800
PUB0505011	PCGLS T1 45	45 W	5700 K	9405	2	5,500



## TOP OPENING LED STREET LIGHT

Energy saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy > 100 Lm/W. Available CCT 5700 K, IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PUB0505013	PCGLS T1 60	60 W	5700 K	9405	1	7,500
PUB0505014	PCGLS T1 72	72 W	5700 K	9405	1	8,200



## TOP OPENING LED STREET LIGHT

Energy saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy > 100 Lm/W. Available CCT 5700 K, IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PUB0505015	PCGLS T1 90	90 W	5700 K	9405	1	9,400
PUB0505016	PCGLS T1 120	120 W	5700 K	9405	1	14,800
PUB0505017	PCGLS T1 150	150 W	5700 K	9405	1	18,000
PUB0505018	PCGLS T1 200	200 W	5700 K	9405	1	23,500
PUB0505020	PCGLS T1 250	250 W	5700 K	9405	1	On Request




**Note:** LED CCT Tolerance as per ANSI Standards.



 **POLYCAB**  
Connection Zindagi Ka

# GARDENIA



## LED POST TOP FITTING

Powder coated aluminum die cast and spun aluminum with clear / opal diffuser. Suitable for Landscape Lighting. Available in 5700K CCT, IP65. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PGR0201007	PCGLPT 01 25 O	25 W	5700 K	9405	1	7,500
PGR0201008	PCGLPT 01 25 C	25 W	5700 K	9405	1	7,200
PGR0201009	PCGLPT 01 40 O	40 W	5700 K	9405	1	8,500
PGR0201010	PCGLPT 01 40 C	40 W	5700 K	9405	1	8,200



## LED BOLLARD

Powder coated PDC Aluminium body with opal diffuser. Suitable for landscape lighting. Available CCT 3000K, IP54.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PGR0201001	PCGLB 01 06	6 W	3000 K	9405	2	5,675



## LED BOLLARD

Powder coated PDC Aluminium body with opal diffuser. Suitable for landscape lighting. Available CCT 3000K, IP54.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PGR0201002	PCGLB 02 06	6 W	3000 K	9405	2	6,425



## LED BOLLARD

Powder coated PDC Aluminium body with opal diffuser. Suitable for landscape lighting. Available CCT 3000K, IP54.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PGR0201003	PCGLB 03 06	6 W	3000 K	9405	2	5,950



**Note:** LED CCT Tolerance as per ANSI Standards.

# GARDENIA



## LED BOLLARD

Powder coated PDC Aluminium body with opal diffuser. Suitable for landscape lighting. Available CCT 3000K, IP54.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PGR0201004	PCGLB 04 06	6 W	3000 K	9405	2	5,950



## LED WALL LIGHT

Powder coated PDC Aluminium body with opal diffuser. Suitable for wall lighting. Available CCT 3000K, IP54.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PGR0202001	PCGLW 04 06	6 W	3000 K	9405	2	4,250



Note: LED CCT Tolerance as per ANSI Standards.



# GARDENIA

# LAMPS



## ■ AELIUS LX / LXD / LB LAMPS

Self ballasted LED Retrofit Lamps with PBT body shell and PC diffuser. 240° wide distribution. Available CCT 3000 K & 6500 K

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	HSN CODE	CASE LOT	MRP (₹)
LLP0101021	AELIUS LX LED LAMP 3 W BC 6500 K	3 W	8539	50	195
LLP0101025	AELIUS LX LED LAMP 5 W BC 6500 K	5 W	8539	50	245
LLP0101029	AELIUS LX LED LAMP 7 W BC 6500 K	7 W	8539	50	295
LLP0101051	AELIUS LXD LED LAMP 9 W BC 6500 K	9 W	8539	25	375
LLP0101055	AELIUS LXD LED LAMP 12 W BC 6500 K	12 W	8539	25	500
LLP0101221	AELIUS LB LED LAMP 15 W BC 6500 K	15 W	8539	25	600
LLP0101225	AELIUS LB LED LAMP 17 W BC 6500 K	17 W	8539	25	750
LLP0101229	AELIUS LB LED LAMP 23 W BC 6500 K	23 W	8539	25	900



## ■ AELIUS LED DECO LAMP

Self ballasted decorative LED Lamps with unbreakable PC body. Available in 7 colour options.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	HSN CODE	CASE LOT	MRP (₹)
LLP0102001	AELIUS LED DECO LAMP 0,5 W WHITE	0,5 W	9405	48	75
LLP0102002	AELIUS LED DECO LAMP 0,5 W RED	0,5 W	9405	48	75
LLP0102003	AELIUS LED DECO LAMP 0,5 W YELLOW	0,5 W	9405	48	75
LLP0102004	AELIUS LED DECO LAMP 0,5 W BLUE	0,5 W	9405	48	75
LLP0102005	AELIUS LED DECO LAMP 0,5 W GREEN	0,5 W	9405	48	75
LLP0102006	AELIUS LED DECO LAMP 0,5 PINK	0,5 W	9405	48	75
LLP0102007	AELIUS LED DECO LAMP 0,5 ORANGE	0,5 W	9405	48	75



## ■ AELIUS LED TUBE

Self ballasted LED Retrofit Tube Lamps with Thermoplastic body. 270° wide distribution. Available CCT 4000 K & 6500 K

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	HSN CODE	CASE LOT	MRP (₹)
LTU0101004	AELIUS LED TUBE 18 W 6500 K HPF (*)	18 W	9405	20	750
LTU0101007	AELIUS LED TUBE HIGH LUMEN 18 W 6500 K HPF	18 W	9405	20	850



## ■ HIGH PRESSURE SODIUM VAPOUR ELLIPTICAL LAMPS

HPSV Elliptical Lamps.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	HSN CODE	CASE LOT	MRP (₹)
PLP0102001	HPSV 70 E	70 W	8539	12	375
PLP0102002	HPSV 150 E	150 W	8539	12	500
PLP0102003	HPSV 250 E	250 W	8539	12	550
PLP0102004	HPSV 400 E	400 W	8539	6	675



## ■ HIGH PRESSURE SODIUM VAPOUR TUBULAR LAMPS

HPSV Tubular Lamps.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	HSN CODE	CASE LOT	MRP (₹)
PLP0102005	HPSV 70 T	70 W	8539	12	435
PLP0102006	HPSV 150 T	150 W	8539	12	535
PLP0102007	HPSV 250 T	250 W	8539	12	580
PLP0102008	HPSV 400 T	400 W	8539	12	675
PLP0104010	HPSV 70 T-S	70 W	8539	12	On Request
PLP0104011	HPSV 70 T-S	150 W	8539	12	On Request



## ■ METAL HALIDE DE LAMPS

Double Ended MH Lamps.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	HSN CODE	CASE LOT	MRP (₹)
PLP0103001	MH DE 70	70 W	8539	25	550
PLP0103002	MH DE 150	150 W	8539	25	600



## ■ METAL HALIDE ELLIPTICAL LAMPS

MH Elliptical Lamps.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	HSN CODE	CASE LOT	MRP (₹)
PLP0104001	MH 70 E	70 W	8539	12	850
PLP0104002	MH 150 E	150 W	8539	12	900
PLP0104004	MH 250 E	250 W	8539	12	1,100
PLP0104005	MH 400 E	400 W	8539	6	1,250



## ■ METAL HALIDE TUBULAR LAMPS

MH Tubular Lamps.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	HSN CODE	CASE LOT	MRP (₹)
PLP0104006	MH 70 T	70 W	8539	12	875
PLP0104007	MH 150 T	150 W	8539	12	900
PLP0104008	MH 250 T	250 W	8539	12	950
PLP0104009	MH 400 T	400 W	8539	12	1,100



# ACCESSORIES

## DESTELLO ELECTRONIC CONTROL GEAR

Full Plastic Body high PF (>0.9) HF Electronic Ballast for Single T8/T12 Lamp. Suitable for domestic applications.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN CODE	CASE LOT	MRP (₹)
LAC0101001	DESTELLO LFL ECG	36 / 40 W	LFL T8/T12	8504	50	200



## LED STRIP LIGHT - DRIVER

LED Strip Light driver, Suitable for Polycab ORIANA 24 W & 72 W

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN CODE	CASE LOT	MRP (₹)
LAC 0202006	Polycab LED Strip driver 12 V, 2.5 A	24 W	LED Strip	9405	20	650
LAC 0202007	Polycab LED Strip driver 12 V, 6 A	72 W	LED Strip	9405	20	1,300



## DESTELLO COMMERCIAL ELECTRONIC CONTROL GEAR

Commercial HF Electronic ballast with high PF > 0.90. Suitable for commercial applications.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN CODE	CASE LOT	MRP (₹)
PAC0301002	PCBE 118/120 F HFC	18 / 20 W	LFL T8/T12	8504	24	275
PAC0301003	PCBE 136/140 F HFC	36 / 40 W	LFL T8/T12	8504	24	225
PAC0301004	PCBE 236/240 F HFC	2 X 36 / 40 W	LFL T8/T12	8504	24	425
PAC0301005	PCBE 128 T HFC	28 W	LFL T5	8504	24	275
PAC0301006	PCBE 228 T HFC	2 X 28 W	LFL T5	8504	24	425
PAC0301007	PCBE 224 T HFC	2 X 24 W	LFL T5	8504	24	425



## DESTELLO HIGH PERFORMANCE ECG

High Performance HF Electronic ballast with high PF > 0.90. Suitable for Heavy Duty applications.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN CODE	CASE LOT	MRP (₹)
PAC0302001	PCBE 414 T HFP	4 X 14 W	LFL T5	8504	24	800





## DESTELLO PL ECG

Full Plastic Body high PF >0.90 HF Electronic Ballast for PL Lamp. Suitable for domestic applications.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN CODE	CASE LOT	MRP (₹)
LAC0101004	DESTELLO PL ECG	9 - 13 W	PL	8504	50	150

## HID BALLAST

Open Construction Ballast for HID Lamps.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN CODE	CASE LOT	MRP (₹)
PAC0501001	PCBM 70 SV/MH	70 W	HPSV / MH	8504	10	575
PAC0501002	PCBM 150 SV/MH	150 W	HPSV / MH	8504	8	875
PAC0501003	PCBM 250 SV/MH	250 W	HPSV / MH	8504	4	1,250
PAC0501004	PCBM 400 SV/MH	400 W	HPSV / MH	8504	4	1,750



## IGNITORS

Ignitors for HID Lamps.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN CODE	CASE LOT	MRP (₹)
PAC0601001	PCIGN - I	70 - 400 W	HID	8535	50	75
PAC0601002	PCIGN - NI	70 - 400 W	HID	8535	50	100
PAC0601003	PCIGN - SI	70 - 400 W	HID	8535	50	225
PAC0601005	PCIGN - T SV	70 - 400 W	HID	8535	50	On Request



## CAPACITORS

For Power Factor Improvement.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN CODE	CASE LOT	MRP (₹)
PAC0101001	PCAP 4 MFD	4 MFD	HID	8532	50	25
PAC0101002	PCAP 8 MFD	8 MFD	HID	8532	50	50
PAC0101003	PCAP 8 MFD	8 MFD	HID	8532	50	50
PAC0101005	PCAP 15 MFD	15 MFD	HID	8532	50	75
PAC0101006	PCAP 20 MFD	20 MFD	HID	8532	50	75
PAC0101007	PCAP 33 MFD	33 MFD	HID	8532	50	125
PAC0101008	PCAP 42 MFD	42 MFD	HID	8532	50	150
PAC0101009	PCAP 21 MFD	21 MFD	HID	8532	50	On Request
PAC0101010	PCAP 35 MFD	35 MFD	HID	8532	50	On Request







#### Regional & Branch Offices:

##### North Regional Office

Delhi, Haryana & Western Uttar Pradesh: C-106, Sector-2, Noida-201 301, Ph.: 0120-4848550, Fax: 0120-4848563, Email: enquiry@polycab.com.  
Eastern Uttar Pradesh: E9, Lower Ground Floor, Phase -1, Transport Nagar, Kanpur Road, Lucknow - 226012 (U.P.) Email: pwpikanpur@polycab.com Tel: 095800 78178  
• Rajasthan: F-85, Kartarpura Industrial Area, Near 22 Godam, Jaipur-302 010 Ph.: 0141-221 4455, 404 1391, Email: pwpjajipur@polycab.com • Himachal Pradesh: Village Dangyar, Behind Hotel Sunshine, Parwanoo District, Solan, Ph.: 0172-4651190, Email: pwpjzirakpur@polycab.com • Chandigarh: SCO 10-11-12, Sector-17B, Chandigarh, Ph.: 090415 74449, Email: pwpjzirakpur@polycab.com. • Punjab: Plot No. E - 629, Phase - 7, Focal Point, Ludhiana - 141010, Ph.: 09317688008, Email: chander.shekher@polycab.com

##### East Regional Office:

West Bengal: Poddar Court, Gate No. 3, 5th Floor, 18 Rabindra Sarani, Kolkata-700 001, Ph.: 033-3292 9602, Fax: 033 - 2225 0006, Email: pwpkolkata@polycab.com  
Bihar: D-302, Dumraon Palace, Fraser Road, Dak Bangla Chauraha Patna-800001, Ph.: 0612-2200196, Email: pwpipatna@polycab.com  
Jharkhand: Room No. 4A, 4th Floor, Poonima Tower, Lake Road, Vishnu Talkies Lane, Ranchi -834001, Email: pwpjranchi@polycab.com  
Assam: 3rd Floor, Purbli Complex, Near Panbazar Flyover, A.T. Road, Guwahati-781001, Ph: +91 - 9854053558, Email: pwpjguwahati@polycab.com  
Orissa: A/2, Ground Floor, Saheed Nagar, Bhubaneswar - 751010, Email: pwpjbhubaneswar@polycab.com, Ph. no. 07894434339/09861374379

##### West Regional Office:

Gujarat: 102-1st Floor, Hrishikesh, Opp. Gulbai Tekra Water Bank, Nr. IDBI Bank Cross Road, Ahmedabad -380 006. Ph: 79 2630 1655 Email: gujarat@polycab.com • Maharastra: Plot No. 36, Sangam Project II, Opp. Indian Air Lines, Near RTO, Dr. Ambedkar Road, Pune 1- 411 001, Ph.: 020-2605 8277, 3020 9678, Email: nitinbele@polycab.com. • Madhya Pradesh: B - 12, New Siyaganj, Patthar Godam Road, Indore-452003, Ph.: 0731-4033357, Email: pwpjindore@polycab.com • Chhatisgarh: 506, 5th Floor, Wallfort Ozone, Near Fafadli Chowk, Raipur -492 001. Ph: 81 2029 0560, Email: pwpjraipur@polycab.com

##### South Regional Office:

Karnataka: B-78, No.18, 4th Main Road, KSSIDC Industrial Estate, 6th Block, Rajaji Nagar, Bengaluru-560 010, Ph.: 080-2310 2172 / 2315 6748, Fax No.: 080- 2310 2071, Email: pwpjbangalore@polycab.com / karnataka@polycab.com • Andhra Pradesh: 401 / A, 4th Floor, Suryakiran Complex, S. D. Road, Secunderabad-500 003, Ph.: 040-6632 6228 / 3096 2600, Email: pwpjsecunderabad@polycab.com • Tamil Nadu: Rain Tree Place, New No. 7, Old No.92B, 2nd Floor, MC Nicholas Road, Chetpet, Chennai-600 031, Ph.: 044-4281 7272, Email: chennai@polycab.com • Kerala: 41/147, 4th Floor, Vee Vee Tower, NH bye pass north End, Edappally P.O., Kochi - 682 024. Email: pwpjkerala@polycab.com / kerala@polycab.com, Ph.: 0484-2803285

#### Terms and Conditions:

The prices are inclusive of all Government levies. • Goods are despatched by us on purchaser's risk. • All claims for loss, damage or shortage will be filed by the purchaser directly with carriers. • Disputes, if any are subject to Mumbai jurisdiction only. • Price are subject to change without notice. • MRP mentioned is for per unit & in Indian Rupees • Due to continuous technology upgrades the design & specifications may vary without notice.

Let's go *green* 

Corporate Office:

**POLYCAB WIRES PVT. LTD.**

Polycab House, 771, Mogul Lane, Mahim (W), Mumbai - 400 016, Maharashtra (India) Ph.: +91-22-2432 7070/4, 6735 1400,

Fax: +91-22-24327075, Email: enquiry@polycab.com · www.polycab.com

---

Follow us on:



[www.facebook.com  
/PolycabInd](https://www.facebook.com/PolycabInd)



[www.twitter.com  
/PolycabIndia](https://www.twitter.com/PolycabIndia)



[www.linkedin.com  
/company/PolycabIndia](https://www.linkedin.com/company/PolycabIndia)



CONTACT (Toll Free No.) 1800 267 0008